

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	410	"347"/\$.ccls. and (((porous) near (member material filter foam)) with chamber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:13
L3	2	"347"/63,54.ccls. and (((porous) near (member material filter foam)) with chamber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:14
S1	581	347/63.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 16:28
S2	2	("20050134646").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/07 16:18
S3	24	347/63.ccls. and ((heat\$3 and conduct\$3) near layer) same substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 09:21
S5	4	347/63.ccls. and (((heat\$3 and conduct\$3) near layer) same substrate) and (porous filter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 11:55
S6	38	"347"/\$.ccls. and (((heat\$3 and conduct\$3) near layer) same substrate) and (porous filter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 09:49
S8	104	"347"/63.ccls. and (chamber same ((polymer (light sensitive)) (dry near film)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 09:54

S9	25	"347"/63.ccls. and (chamber same (((plastic rubber elastomer polymer) same (light sensitive)) (dry near film)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 09:10
S10	1	"347"/63.ccls. and (chamber same (((plastic rubber elastomer polymer) same (light sensitive)) and (dry near film)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 09:11
S11	0	"347"/63.ccls. and (chamber same (((plastic rubber elastomer polymer) same (light sensitive)) with adhesiv\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 10:10
S12	2	"347"/\$.ccls. and (chamber same (((plastic rubber elastomer polymer) same (light sensitive)) with adhesiv\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 10:11
S13	194	"347"/\$.ccls. and (chamber same (((plastic rubber elastomer polymer) same (light sensitive)) same adhesiv\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 10:13
S14	11	"347"/\$.ccls. and ((porous filter) same (((plastic rubber elastomer polymer) same (light sensitive)) same adhesiv\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 10:14
S15	9	"347"/63.ccls. and (chamber same (((plastic rubber elastomer polymer) same (light sensitive)) (dry near film))) and nickel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 10:35
S16	5	"347"/63.ccls. and (chamber with (electroplat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 10:35

S17	5	"347"/63.ccls. and (chamber with (electroplat\$3)) and nickel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 10:50
S18	0	"347"/63.ccls. and (adhesive near metal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 10:54
S19	22	"347"/63.ccls. and (adhesive with metal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 13:34
S20	0	"347"/63.ccls. and (hot near press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 13:35
S21	1	"347"/54,63.ccls. and (hot near press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 13:35
S22	86	"347"/\$.ccls. and (hot near press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 13:36
S23	12	"347"/\$.ccls. and (hot near press) with (adhesive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 13:39
S24	2	"347"/\$.ccls. and (hot near press) with (adhere\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 13:45

S26	7	"347"/\$.ccls. and ((adhesive near layer) with comprise with metal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 13:49
S29	154	"347"/\$.ccls. and ((adhesive near layer) near10 metal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 13:49
S31	16	"347"/\$.ccls. and ((adhesive near layer) near metal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 15:13
S32	0	"347"/\$.ccls. and ((adhesive near layer) near metal) with (electroplating (screen near print\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 14:44
S33	11	"347"/\$.ccls. and ((adhesive near layer)) with (electroplating (screen near print\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 14:44
S35	1	"347"/\$.ccls. and ((adhesive near layer) near metal) with melt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 15:05
S36	183	"347"/\$.ccls. and ((adhesive near layer) with metal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 15:13
S37	6	"347"/63.ccls. and (adhesive same (((plastic rubber elastomer polymer) same (light sensitive)) (dry near film)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 09:12

S39	0	"347"/63.ccls. and (adhesive same (((plastic rubber elastomer polymer) same (light near sensitive))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 09:22
S40	63	"347"/63.ccls. and (adhesive same (((plastic rubber elastomer polymer))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 09:22
S41	20	"347"/\$.ccls. and (adhesive same (((plastic rubber elastomer polymer) same (light near sensitive))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 09:22
S42	24	"347"/\$.ccls. and (adhesive same (((plastic rubber elastomer polymer) same (light with sensitive))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 09:22
S43	3	347/63.ccls. and ((porous filter foam) with (groove cut slice\$2 indentation indent channel notch slit) with (cutting cut\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 11:58
S44	4	347/63.ccls. and ((porous filter foam) same (groove cut slice\$2 indentation indent channel notch slit) same (cutting cut\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 11:59
S46	57	"347"/\$.ccls. and ((porous filter foam) same (groove cut slice\$2 indentation indent channel notch slit) same (cutting cut\$4)) same chamber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:13